

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Original) A method, comprising  
displaying a tree on a graphical user interface, said tree comprising:
  - a) a first node that identifies a testing scenario;
  - b) one or more sub nodes of said first node, each of said one or more sub nodes identifying a different software component of a business logic process, each of said one or more sub nodes capable of spawning its own sub node that indicates its corresponding software component is unavailable when its corresponding software component is unavailable.
2. (Original) The method of claim 1 wherein said own sub node indicates availability as a percentage.
3. (Currently amended) The method of claim 1 wherein said percentage is calculated over a fixed time interval.
4. (Original) The method of claim 1 wherein said each of said one or more sub nodes is capable of spawning a second sub node for presenting text messages.
5. (Currently amended) The method of claim 4 wherein the information presented by at least one of said text messages was provided in a message that was sent over a network within an IS information systems infrastructure and from a location where said one or more software components were tested for availability.

6. (Currently amended) The method of claim 5 wherein said message further comprised an [[.]]XML document.
7. (Original) The method of claim 5 wherein said message further included an indication that the particular software component to which said text message is presented in reference to is unavailable.
8. (Original) The method of claim 7 wherein said text message is presented in the color red.
9. (Original) The method of claim 1 further comprising presenting a second tree, said second tree indicating that another testing scenario is not working.
10. (Currently amended) The method of claim ~~4~~ 9 wherein said second tree is a sub tree of a larger presented tree.
11. (Original) A machine readable medium containing instructions which when executed by a machine cause said machine to perform a method, said method comprising:
  - displaying a tree on a graphical user interface, said tree comprising:
    - a) a first node that identifies a testing scenario;
    - b) one or more sub nodes of said first node, each of said one or more sub nodes identifying a different software component of a business logic process, each of said one or more sub nodes capable of spawning its own sub node

that indicates its corresponding software component is unavailable when its corresponding software component is unavailable.

12. (Original) The machine readable medium of claim 11 wherein said own sub node indicates availability as a percentage.

13. (Currently amended) The machine readable medium of claim ~~11~~ 12 wherein said percentage is calculated over a fixed time interval.

14. (Original) The machine readable medium of claim 11 wherein said each of said one or more sub nodes is capable of spawning a second sub node for presenting text messages.

15. (Currently amended) The machine readable medium of claim 14 wherein ~~the~~ information presented by at least one of said text messages was provided in a message that was sent over a network within an ~~IS~~ information systems infrastructure and from a location where said one or more software components were tested for availability.

16. (Currently amended) The machine readable medium of claim 15 wherein said message further comprised an ~~[[.]]~~XML document.

17. (Original) The machine readable medium of claim 15 wherein said message further included an indication that the particular software component to which said text message is presented in reference to is unavailable.

18. (Original) The machine readable medium of claim 17 wherein said text message is presented in the color red.

19. (Original) The machine readable medium of claim 11 wherein said method further comprises presenting a second tree, said second tree indicating that another testing scenario is not working.

20. (Currently amended) The machine readable medium of claim ~~14~~ 19 wherein said second tree is a sub tree of a larger presented tree.

21. (Original) A computing system implemented with a machine readable medium containing instructions that when executed by one or more processors cause a method to be performed, said method comprising:

displaying a tree on a graphical user interface, said tree comprising:

- a) a first node that identifies a testing scenario;
- b) one or more sub nodes of said first node, each of said one or more sub nodes identifying a different software component of a business logic process, each of said one or more sub nodes capable of spawning its own sub node that indicates its corresponding software component is unavailable when its corresponding software component is unavailable.

22. (Original) The computing system of claim 21 wherein said own sub node indicates availability as a percentage.

23. (Currently amended) The computing system of claim ~~24~~ 22 wherein said percentage is calculated over a fixed time interval.

24. (Original) The computing system of claim 21 wherein said each of said one or more sub nodes is capable of spawning a second sub node for presenting text messages.

25. (Currently amended) The computing system of claim 24 wherein the information presented by at least one of said text messages was provided in a message that was sent over a network within an ~~IS~~ information systems infrastructure and from a location where said one or more software components were tested for availability.

26. (Currently amended) The computing system of claim 25 wherein said message further comprised an ~~[[.]]~~XML document.

27. (Original) The computing system of claim 25 wherein said message further included an indication that the particular software component to which said text message is presented in reference to is unavailable.

28. (Original) The computing system of claim 27 wherein said text message is presented in the color red.

29. (Original) The computing system of claim 21 wherein said method further comprises presenting a second tree, said second tree indicating that another testing scenario is not working.

30. (Currently amended) The computing system of claim 24 ~~29~~ wherein said second tree is a sub tree of a larger presented tree.

31. through 49. (Canceled).